








Standard VENUS TV IP67
mit einem Kabel mit offenem Ende / with one cable with open end (OO)



Toleranzen und Längen / Tolerances and Lengths:


Toleranz / Tolerance: $\pm 5 \text{ mm}$ / 0.2 inch



Die Leuchte wird auf Länge gefertigt (nicht vor Ort schneidbar) /
Fixture build to length (not field cuttable):

Lmin: 213,5 mm; Lmax: 5026 mm; in 62,5 mm increments



Lmin: 8,41 inch; Lmax: 16,49 foot; in 2,46 inch increments

VarioCable:





LED LINEAR™ lighting solutions						 Material edges according to DIN ISO 13715		General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:		
					Date		Name	Art.-No.:				
				Drawn	25.09.2023		Zeyen	Title:				
				Controlled	25.09.2023		Weßels	VENUS TV IP67				
				Approved								
				Refer to protection notice ISO 16016				Drawing number: VT 200.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2	Scale 2:1	Sheet2/4 A2
Index	Revision	Date	Name	Origin:	Replacement for:				Replaced by:			



Anbau - Montageprofil ohne Kabelkanal
Surface Mounted - Mounting Profil w/o cabel channel (MPL) / 10000626-RAL9003-LLLL
Surface Mounted - Mounting Profil w/o cabel channel Silver (PLA) / 10000049-01




Anbau - Montageprofil mit Kabelkanal
Surface Mounted - Mounting Profil with cabel channel (MPH) / 10000628-RAL9003-LLLL




Anbau – Montageprofil mit Kabelkanal Silber
Surface Mounted – Mounting Profil with cabel channel Silver (PHA) / 10000339




Art.-#: 10000626-RAL9003-LLLL	Art.-#: 10000049-01
- RAL9003 Weiß gepulvert / white powder-coated	- E6/C0 / 15-20µm / Aluminium Silber / silver
Art.-#: 10000628-RAL9003-LLLL	Art.-#: 10000339
- RAL9003 Weiß gepulvert / white powder-coated	- E6/C0 / 15-20µm / Aluminium Silber / silver

								General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:	
						Art.-No.:					
				Date		Name		Title: VENUS TV IP67			
				Drawn 25.09.2023		Zeyen					
				Controlled 25.09.2023		Weßels					
				Approved							
				Refer to protection notice ISO 16016							
Index		Revision		Date		Name		Origin:		Drawing number: VT 200.0048	
										Surface details acc. to DIN ISO 1302 in Ra/Rank 2	
										Scale 2:1	
										Sheet3/4 A2	
				Replacement for:				Replaced by:			



Werkstoffe und Farb-Varianten / Material and Color options:			
Art.-#: 13000010-01-RAL9003		Art.-#: 13000010-01	
- RAL9003 Weiß gepulvert / white powder-coated		- E6/C0 / 15-20µm / Aluminium Silber / silver	
Art.-#: 13000482-9003-0050		Art.-#: 13000033-01	
- RAL9003 Weiß gepulvert / white powder-coated		- 1.4310 / V2a / Federbandstahl / Spring band steel	

LED LINEAR™ lighting solutions								General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:					
						Material edges according to DIN ISO 13715		Art.-No.:							
				Date		Name		Title:							
				Drawn 25.09.2023		Zeyen		VENUS TV IP67							
				Controlled 25.09.2023		Weßels									
				Approved											
				Refer to protection notice ISO 16016											
								Drawing number: VT 200.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2	Scale 2:1	Sheet4/4 A2			
Index				Revision		Date		Name		Origin:		Replacement for:		Replaced by:	