





Standard VENUS TC IP67
TV Opal, TV Optics, 3D Opal and 3D Optics
mit zwei Steckverbindern / with two connectors (DC)




Standard VENUS TC IP67
TV Opal, TV Optics, 3D Opal and 3D Optics
mit einem Steckverbinder / with one connector (M0)



VarioCon Mini:
Stecker / Male:



VarioCon Mini:
Buchse / Female:




Toleranzen und Längen / Tolerances and Lenghts:


Toleranz / Tolerance: $\pm 5 \text{ mm} / 0.2 \text{ inch}$

Die Leuchte wird auf Länge gefertigt (nicht vor Ort schneidbar) /
Fixture build to length (not field cuttable):

Lmin TV: 354 mm; Lmax: 3924 mm; in 70 mm increments
Lmin 3D: 494 mm; Lmax: 1964 mm; in 70 mm increments

Lmin: TV: 13,94 inch; Lmax: 154,49 inch; in 2,76 inch increments
Lmin: 3D: 19,45 inch; Lmax: 77,32 inch; in 2,76 inch increments

LED LINEAR™ lighting solutions								General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:		
								Art.-No.:				
					Date	Name	Title:					
					Drawn	22.05.2024	Zeyen	VENUS TC IP67				
					Controlled	22.05.2024	Weßels					
					Approved							
					Refer to protection notice ISO 16016							
								Drawing number: VT 270.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2	Scale 2:1	Sheet 1/5 A2
Index	Revision	Date	Name	Origin:				Replacement for:		Replaced by:		





Toleranzen und Längen / Tolerances and Lenghts:


Toleranz / Tolerance: ± 5 mm / 0.2 inch

Die Leuchte wird auf Länge gefertigt (nicht vor Ort schneidbar) /
Fixture build to length (not field cuttable):

Lmin TV: 354 mm; Lmax: 3924 mm; in 70 mm increments
Lmin 3D: 494 mm; Lmax: 1964 mm; in 70 mm increments

Lmin: TV: 13,94 inch; Lmax: 154,49 inch; in 2,76 inch increments
Lmin: 3D: 19,45 inch; Lmax: 77,32 inch; in 2,76 inch increments



LED LINEAR TM lighting solutions						 Material edges according to DIN ISO 13715		General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:		
					Date		Name	Art.-No.:				
				Drawn	22.05.2024		Zeyen	Title:				
				Controlled	22.05.2024		Weßels	VENUS TC IP67				
				Approved								
				Refer to protection notice ISO 16016				Drawing number: VT 270.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2	Scale 2:1	Sheet2/5 A2
Index	Revision	Date	Name	Origin:	Replacement for:				Replaced by:			




**Werkstoffe und Farb-Varianten
/ Material and Color options:**


Art.-#: 1000070-RAL9003-FS
- RAL9003 Weiß gepulvert / white powder-coated


Art.-#: 10000546-RAL9003-FS
- RAL9003 Weiß gepulvert / white powder-coated

LED LINEAR™ lighting solutions						 Material edges according to DIN ISO 13715		General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:		
					Date	Name		Art.-No.:				
				Drawn	22.05.2024	Zeyen		Title:				
				Controlled	22.05.2024	Weßels		VENUS TC IP67				
				Approved								
				Refer to protection notice ISO 16016				Drawing number: VT 270.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2	Scale 2:1	Sheet3/5 A2
Index	Revision	Date	Name	Origin:	Replacement for:				Replaced by:			



Werkstoffe und Farb-Varianten / Material and Color options:	
Art.-#: 13000277	Art.-#: 13000279
- RAL9003 Weiß gepulvert / white powder-coated	- PC / Polycarbonat / Polycarbonate
Art.-#: 13000278	
- RAL9003 Weiß gepulvert / white powder-coated	



LED LINEAR™ lighting solutions								General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:	
						Material edges according to DIN ISO 13715		Art.-No.:			
				Date		Name		Title:			
				Drawn 22.05.2024		Zeyen		VENUS TC IP67			
				Controlled 22.05.2024		Weßels					
				Approved							



Werkstoffe und Farb-Varianten
/ Material and Color options:

Art.-#: 10000559 + 11000214
- RAL9003 Weiß gepulvert / white powder-coated
- 1.4310 / Federbandstahl / Spring band steel

Art.-#: 10000554 + 13000273
- RAL9003 Weiß gepulvert / white powder-coated
- CuZn39Pb3 / Messing / Brass

LED LINEAR™ lighting solutions						 Material edges according to DIN ISO 13715		General tolerances DIN ISO 2768-1-m DIN ISO 2768-2-K		Material:			
				Drawn	Date 22.05.2024	Name Zeyen		Art.-No.: Title: VENUS TC IP67					
				Controlled	22.05.2024	Weßels							
				Approved									
				Refer to protection notice ISO 16016				Drawing number: VT 270.0048		Surface details acc. to DIN ISO 1302 in Ra/Rank 2		Scale 2:1	Sheet5/5 A2
Index	Revision	Date	Name	Origin:					Replacement for:				Replaced by: